



SF Range 2.2M - 2.4M - 2.6M

These simple, slatted floor dinghies are perfect for ship-to-shore trips. They are simple to inflate and pack up compactly to be stored. The broad wooden slats keep cost to a minimum, make assembly simple, and the slats provide a solid feel under foot. A robust seat and effective oar / rowlock assembly, makes rowing perfect for short haul trips.



- Orca 1100 Decitex Polymer tubing
- Euro-style tubes for more room
- 2 separate air chambers
- 4 easy grip handles
- Lightweight and easy to carry

- Motor mount plates
- Locking oars included as standard
- · Removable wooden seat
- One way drain plug
- Robust rubbing strake



















- Orca 1100 Decitex Polymer tubing
- Euro-style tubes for more room
- 3 separate air chambers
- 4 easy grip handles
- Motor mount plates
- · Removable wooden seat

- Locking oars included as standard
- Lightweight and easy to carry
- One way drain plug
- Robust rubbing strake
- Fuel tank strap















These new SunSport Kayaks are built to give you lots of fun on the water without breaking the bank. There are two models both 3.5m long. The Narrow Beam model comes with a soft tail and a detachable outboard bracket (max 4hp), whilst the Wide Beam model has a solid transom that can take up to 6hp. They come complete with paddles to complete the package.



- Orca 1100 Decitex
 Polymer tubing
- Euro-style tubes for more room
- 3 separate air chambers
- Motor/tiller mount plates

- Removable inflatable seat
- Oars included as standard
- Lightweight and easy to carry
- Robust rubbing strake



2.5HP to 15HP 4-stroke



If you're looking for clean, quiet and reliable power, nothing performs like a Mariner or Mercury fourstroke outboard. No other engines offer the same combination of smooth, smoke-free operation, proven technology and unparalleled corrosion resistance. No other engines offer the same heritage of race winning power.

Mariner and Mercury four-strokes offer a greater



Engine 2.5hp 4 stroke Displacement 85cc **Starting** Manual Tiller Steering Weight

Compatible SunSports

SF220, SF240, SF260, AIB230, AIB265K, AIB290K, AIB320K, ARIB230, ARIB270, ARIB320, ARIB350, 350NB, 350WB



Engine 6hp 4 stroke **Displacement** 123cc Starting Manual Steering Tiller Weight

Compatible SunSports AIB290K, AIB320K, ARIB270, ARIB320, ARIB350, 350NB, 350WB



Engine 3.5hp 4 stroke Displacement 85cc Starting Manual Steering Tiller 18ka Weight

Compatible SunSports

SF220, SF240, SF260, AIB230, AIB265K, AIB290K, AIB320K, ARIB230, ARIB270, ARIB320, ARIB350, 350NB, 350WB



Engine 8hp 4 stroke Displacement 209cc Starting Manual Steering Tiller Weight

Compatible SunSports AIB290K, AIB320K, ARIB270, ARIB320, ARIB350



Engine 4hp 4 stroke **Displacement** 123cc **Starting** Manual Steering Tiller Weight

Compatible SunSports

SF240, SF260, AIB230, AIB265K, AIB290K, AIB320K, ARIB230, ARIB270, ARIB320, ARIB350, 350NB, 350WB



Engine 9.9hp 4 stroke **Displacement** 209cc Starting Manual Steering Tiller 38ka Weight

Compatible SunSports AIB290K, AIB320K, ARIB320, ARIB350



Engine	5hp 4 stroke
Displacement	123cc
Starting	Manual
Steering	Tiller
Weight	25kg

Compatible SunSports SF260. AIB265K. AIB290K. AIB320K, ARIB230, ARIB270, ARIB320, ARIB350, 350NB,

350WB



Engine	15hp 4 stroke
Displacement	351cc
Starting	Manual
Steering	Tiller
Weight	52kg

Compatible SunSports AIB320K, ARIB320, ARIB350





E. P. Barrus Ltd, Launton Road, Bicester, Oxfordshire, OX26 4UR Tel: 01869 363636 Fax: 01869 363673

E-mail: marine@barrus.co.uk www.barrus.co.uk

SPECIFICATIONS

	Length	Beam	Tube	Hull	Passengers	Max HP		
	(cm)	(cm)	Diameter Weight (kgs)					
SLATTED FLO	OR BOAT							
SF220	220	150	42.5	19.3	2.5	5		
SF240	240	155	42.5	22	3	6		
SF260	258	155	42.5	24	3.5	6		
ALL INFLATAE	BLE BOAT							
AIB230	228	134	36.5	24.6	2.5	5		
AIB265K*	270.5	153	42.5	31.6	3.5	8		
AIB290K*	292	154	42.5	32.5	4	8		
AIB320K* *inflatable keel	319	153	42	36.6	4.5	10		
ALL INFLATABLE RIB WITH DEEP V BOTTOM								
ARIB230	232	135	35	18.4	2.5	5		
ARIB270	267	153	42.5	26.8	3.5	8		
ARIB320	320.5	153.5	42.5	30.5	4	15		
ARIB350	349	170	44.5	42	5	15		
ALL INFLATAE	BLE KAYAK							
350NB	347	113	36	16.5	3	4		
350WB	348	150	41	20.4	4.5	6		

Driveline Marine Scours Lane Reading RG30 6AY

tel: 0118 942 3877

email: sales@drivelinemarine.com